






International Retail Price List


March 2008




Arc Source 3, 6, 7 (MR16) Product guide page 5

Photo	Specification	Product	Model	Retail Price
	3 pieces of 1 Watt Luxeon LEDs; RJ45 connector; available in 6deg, 15deg, 25deg and 38 deg; Typical Lumen Maintenance 70% @ 50,000 hours; 50mm diameter; 62 mm depth; fits standard MR16 - Down Light Fitting	ArcSource 3 RGB	6°, 15°, 25°, 38°	98,00 €
		ArcSource 3 CW	6°, 15°, 25°, 38°	111,00 €
		ArcSource 3 WW	6°, 15°, 25°, 38°	111,00 €
		ArcSource 3 R	6°, 15°, 25°, 38°	98,00 €
		ArcSource 3 B	6°, 15°, 25°, 38°	100,00 €
		ArcSource 3 G	6°, 15°, 25°, 38°	102,00 €
		ArcSource 3 A	6°, 15°, 25°, 38°	98,00 €


	6 pieces of 1 Watt Luxeon LEDs; RJ45 connector; available in 6deg and 25 deg; Typical Lumen Maintenance 70% @ 50,000 hours; LED Life Expectancy minimum 50,000 hours; 50mm diameter; 82mm depth; fits standard MR16 - Down Light Fitting	ArcSource 6 RGB	6°, 25°	160,00 €
		ArcSource 6 CW	6°, 25°	187,00 €
		ArcSource 6 WW	6°, 25°	191,00 €
		ArcSource 6 WWRGB (3xWW, 1xR, 1xG, 1xB)	6°, 25°	176,00 €
		ArcSource 6 CWRGB (3xCW, 1xR, 1xG, 1xB)	6°, 25°	173,00 €
		ArcSource 6 R	6°, 25°	160,00 €
		ArcSource 6 B	6°, 25°	173,00 €
		ArcSource 6 G	6°, 25°	176,00 €
ArcSource 6 A	6°, 25°	160,00 €		


	7 pieces of 1 Watt Luxeon LEDs; 50mm diameter; 82mm depth; fits standard MR16 - Down Light Fitting	ArcSource 7 RGBCW (2xR, 2xB, 2xG, 1xCW)	6°, 25°	182,00 €
		ArcSource 7 RGBWW (2xR, 2xB, 2xG, 1xWW)	6°, 25°	182,00 €
		ArcSource 7 CW	6°, 25°	200,00 €
		ArcSource 7 WW	6°, 25°	204,00 €

ArcSource 12 (AR1-11) Product guide page 7


Photo	Specification	Product	Model	Retail Price
	12 pieces of 1 Watt Luxeon LEDs; RJ45 connector; available in 6deg, 15deg, 25 deg and 38 deg; Typical Lumen Maintenance 70% @ 50,000 hours; LED Life Expectancy minimum 50,000 hours; 111mm diameter; 54mm depth; fits standard AR1-11 housings	ArcSource 12 RGB	6°, 15°, 25°, 38°	316,00 €
		ArcSource 12 CW	6°, 15°, 25°, 38°	344,00 €
		ArcSource 12 WW	6°, 15°, 25°, 38°	356,00 €
		ArcSource 12 WWRGB (6xWW, 2xR, 2xG, 2xB)	6°, 15°, 25°, 38°	331,00 €
		ArcSource 12 CWRGB (6xCW, 2xR, 2xG, 2xB)	6°, 15°, 25°, 38°	327,00 €
		ArcSource 12 R	6°, 15°, 25°, 38°	316,00 €
		ArcSource 12 B	6°, 15°, 25°, 38°	327,00 €
		ArcSource 12 G	6°, 15°, 25°, 38°	331,00 €
		ArcSource 12 A	6°, 15°, 25°, 38°	316,00 €


ArcLine 12, 18, 24, 36 Product guide page 9

Photo	Specification	Product	Model	Retail Price
	12 pieces of 1 Watt Luxeon LEDs; RJ 45 connector; available in 170° wide angle; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; 435mm length; 50mm width; 68mm height; rear or side cable connection	ArcLine 12 RGB	170° rear, side	258,00 €
		ArcLine 12 CW	170° rear, side	309,00 €
		ArcLine 12 WW	170° rear, side	316,00 €
		ArcLine 12 R	170° rear, side	258,00 €
		ArcLine 12 B	170° rear, side	280,00 €
		ArcLine 12 A	170° rear, side	258,00 €
		ArcLine 12 G	170° rear, side	291,00 €

	18 pieces of 1 Watt Luxeon LEDs; RJ 45 connector; available in 170° wide angle; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; 661mm length; 50mm width; 68mm height; rear or side cable connection	ArcLine 18 RGB	170° rear, side	351,00 €
		ArcLine 18 CW	170° rear, side	420,00 €
		ArcLine 18 WW	170° rear, side	429,00 €
		ArcLine 18 R	170° rear, side	351,00 €
		ArcLine 18 B	170° rear, side	373,00 €
		ArcLine 18 A	170° rear, side	351,00 €
ArcLine 18 G	170° rear, side	384,00 €		


Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.


	24 x 1 Watt Luxeon LED, RJ 45 connector, available in 170° wide angle; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; 836mm length, 50mm width, 68mm height, rear or side cable connection	ArcLine 24 RGB	170°	rear, side	433,00 €
		ArcLine 24 CW	170°	rear, side	524,00 €
		ArcLine 24 WW	170°	rear, side	538,00 €
		ArcLine 24 R	170°	rear, side	433,00 €
		ArcLine 24 B	170°	rear, side	467,00 €
		ArcLine 24 A	170°	rear, side	433,00 €
ArcLine 24 G	170°	rear, side	478,00 €		


	36 x 1 Watt Luxeon LED, RJ 45 connector, available in 170° wide angle; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; 1237mm length, 50mm width, 68mm height, rear or side cable connection	ArcLine 36 RGB	170°	rear, side	611,00 €
		ArcLine 36 CW	170°	rear, side	758,00 €
		ArcLine 36 WW	170°	rear, side	773,00 €
		ArcLine 36 R	170°	rear, side	611,00 €
		ArcLine 36 B	170°	rear, side	664,00 €
		ArcLine 36 A	170°	rear, side	611,00 €
ArcLine 36 G	170°	rear, side	689,00 €		


ArcLine Optic 3, 12, 18, 24, 36

Product guide page 11


Photo	Specification	Product	Model	Retail Price
	3 x 1 Watt Luxeon LED, RJ 45 data connector, available in 6 deg, 15 deg, 25 deg, 38 deg and 25x6 deg; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; 135 mm leng; 50mm width, 78mm height, rear or side cable connection	ArcLine Optic 3 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side 151,00 €
		ArcLine Optic 3 CW	6°, 15°, 25°, 38°, 25x6°	rear, side 169,00 €
		ArcLine Optic 3 WW	6°, 15°, 25°, 38°, 25x6°	rear, side 173,00 €
		ArcLine Optic 3 R	6°, 15°, 25°, 38°, 25x6°	rear, side 151,00 €
		ArcLine Optic 3 B	6°, 15°, 25°, 38°, 25x6°	rear, side 158,00 €
		ArcLine Optic 3 A	6°, 15°, 25°, 38°, 25x6°	rear, side 151,00 €
ArcLine Optic 3 G	6°, 15°, 25°, 38°, 25x6°	rear, side 164,00 €		

	12 x 1 Watt Luxeon LED, RJ 45 connector, available in 6deg, 15deg, 25deg, 38 deg and 25x6deg; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; 435mm length, 50mm width, 78mm height, rear or side cable connection	ArcLine Optic 12 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side 304,00 €
		ArcLine Optic 12 CW	6°, 15°, 25°, 38°, 25x6°	rear, side 340,00 €
		ArcLine Optic 12 WW	6°, 15°, 25°, 38°, 25x6°	rear, side 347,00 €
		ArcLine Optic 12 R	6°, 15°, 25°, 38°, 25x6°	rear, side 304,00 €
		ArcLine Optic 12 B	6°, 15°, 25°, 38°, 25x6°	rear, side 320,00 €
		ArcLine Optic 12 G	6°, 15°, 25°, 38°, 25x6°	rear, side 327,00 €
ArcLine Optic 12 A	6°, 15°, 25°, 38°, 25x6°	rear, side 304,00 €		

	18x1 Watt Luxeon LED, RJ 45 connector, available in 6deg, 15deg, 25deg, 38deg and 25x6deg; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; 661mm length, 50mm width, 78mm height, rear or side cable connection	ArcLine Optic 18 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side 431,00 €
		ArcLine Optic 18 CW	6°, 15°, 25°, 38°, 25x6°	rear, side 491,00 €
		ArcLine Optic 18 WW	6°, 15°, 25°, 38°, 25x6°	rear, side 500,00 €
		ArcLine Optic 18 R	6°, 15°, 25°, 38°, 25x6°	rear, side 431,00 €
		ArcLine Optic 18 B	6°, 15°, 25°, 38°, 25x6°	rear, side 456,00 €
		ArcLine Optic 18 G	6°, 15°, 25°, 38°, 25x6°	rear, side 467,00 €
ArcLine Optic 18 A	6°, 15°, 25°, 38°, 25x6°	rear, side 431,00 €		

	24 x 1 Watt Luxeon LED, RJ 45 connector, available in 6deg, 15deg, 25deg, 38deg and 25x6deg; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; 834mm length, 50mm width, 78mm height	ArcLine Optic 24 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side 549,00 €
		ArcLine Optic 24 CW	6°, 15°, 25°, 38°, 25x6°	rear, side 624,00 €
		ArcLine Optic 24 WW	6°, 15°, 25°, 38°, 25x6°	rear, side 636,00 €
		ArcLine Optic 24 R	6°, 15°, 25°, 38°, 25x6°	rear, side 549,00 €
		ArcLine Optic 24 B	6°, 15°, 25°, 38°, 25x6°	rear, side 571,00 €
		ArcLine Optic 24 G	6°, 15°, 25°, 38°, 25x6°	rear, side 589,00 €
ArcLine Optic 24 A	6°, 15°, 25°, 38°, 25x6°	rear, side 549,00 €		


Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.


	36 pieces of 1 Watt Luxeon LEDs; RJ 45 con.; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; 1237mm length, 50mm width, 78mm height, rear or side cable con.	ArcLine Optic 36 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side	782,00 €
		ArcLine Optic 36 CW	6°, 15°, 25°, 38°, 25x6°	rear, side	876,00 €
		ArcLine Optic 36 WW	6°, 15°, 25°, 38°, 25x6°	rear, side	891,00 €
		ArcLine Optic 36 R	6°, 15°, 25°, 38°, 25x6°	rear, side	782,00 €
		ArcLine Optic 36 B	6°, 15°, 25°, 38°, 25x6°	rear, side	818,00 €
		ArcLine Optic 36 G	6°, 15°, 25°, 38°, 25x6°	rear, side	833,00 €
		ArcLine Optic 36 A	6°, 15°, 25°, 38°, 25x6°	rear, side	782,00 €


ArcSource 12 SmartWhite (AR1-11) *Product guide page 13*

<i>Photo</i>	<i>Specification</i>	<i>Product</i>	<i>Model</i>		<i>Retail Price</i>
	12 x 1 Watt Luxeon LED; available in 6deg, 15deg, 25deg and 38 deg; 6 warm white LEDs 3300K, 6 cool white LEDs 3300K ; LED Life Expectancy minimum 50,000 hours; RJ45 connector 111mm diameter; 54mm depth; fits standard AR1-11 housings	ArcSource 12 SW	6°, 15°, 25°, 38°		351,00 €


ArcLine Optic 12, 24, 36 SmartWhite *Product guide page 15*

<i>Photo</i>	<i>Specification</i>	<i>Product</i>	<i>Model</i>		<i>Retail Price</i>
	12 x 1 Watt Luxeon LED; RJ 45 data connector; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; 6 warm white LEDs 3300K, 6 cool white LEDs 3300K; LED Life Expectancy min 50,000 hrs; 435mm length, 50mm width, 78mm height , rear or side cable connection	ArcLine Optic 12 SW	6°, 15°, 25°, 38°, 25x6°	rear, side	344,00 €

	24 x 1 Watt Luxeon LED; RJ 45 data connector; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; 12 warm white LEDs 3300K, 12 cool white LEDs 3300K ; LED Life Expectancy min 50,000 hrs; 661mm length, 50mm width, 78mm height , rear or side cable connection	ArcLine Optic 24 SW	6°, 15°, 25°, 38°, 25x6°	rear, side	631,00 €
---	--	----------------------------	---------------------------------	-------------------	-----------------





	36 x 1 Watt Luxeon LED; RJ 45 data connector; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; 18 warm white LEDs 3300K, 18 cool white LEDs 3300K ; LED Life Expectancy min 50,000 hrs; 661mm length, 50mm width, 78mm height , rear or side cable connection	ArcLine Optic 36 SW	6°, 15°, 25°, 38°, 25x6°	rear, side	887,00 €
---	--	----------------------------	---------------------------------	-------------------	-----------------

ArcSource 3, 12/K2 *Product guide page 17*



<i>Photo</i>	<i>Specification</i>	<i>Product</i>	<i>Model</i>		<i>Retail Price</i>
	3 x Luxeon K2 LED; available in 6deg, 15deg, 25deg and 38deg; Typical Lumen Maintenance 70% @ 50,000 hours; 50mm diameter; 62 mm depth; RJ45 data connector ,convective cooling, fits standard MR16 housings	ArcSource 3 RGB/K2	6°, 15°, 25°, 38°		113,00 €
		ArcSource 3 CW/K2	6°, 15°, 25°, 38°		131,00 €
		ArcSource 3 WW/K2	6°, 15°, 25°, 38°		131,00 €
		ArcSource 3 R/K2	6°, 15°, 25°, 38°		113,00 €
		ArcSource 3 B/K2	6°, 15°, 25°, 38°		118,00 €
		ArcSource 3 G/K2	6°, 15°, 25°, 38°		120,00 €
		ArcSource 3 A/K2	6°, 15°, 25°, 38°		113,00 €

Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.

ArcLink 3, ArcLink Optic 3 Product guide page 19

Photo	Specification	Product	Model	Retail Price
	3 x 1 Watt Luxeon LED, RJ45 data connector, available in 170deg, Typical Lumen Maintenance 70% @ 50,000 hours; 141mm length; 27 mm width; 20mm high; convective cooling	ArcLink 3 RGB (6pcs)	170°	449,00 €
		ArcLink 3 CW (6pcs)	170°	491,00 €
		ArcLink 3 CW (6pcs)	170°	504,00 €
		ArcLink 3 WW (6pcs)	170°	504,00 €
		ArcLink 3 R (6pcs)	170°	449,00 €
		ArcLink 3 G (6pcs)	170°	476,00 €
		ArcLink 3 B (6pcs)	170°	467,00 €
		ArcLink 3 A (6pcs)	170°	449,00 €
	4x 1 Watt Luxeon LED, RJ45 data connector, available in 170deg, Typical Lumen Maintenance 70% @ 50,000 hours; 141mm length; 27 mm width; 20mm high; convective cooling	ArcLink 4 RGBWW (6pcs)	170°	518,00 €
		ArcLink 4 RGBCW (6 pcs)	170°	518,00 €
		ArcLink 4 RGBA (6pcs)	170°	504,00 €
		ArcLink 4 SW (6pcs)	170°	547,00 €
	3 x 1 Watt Luxeon LED, RJ45 data connector, available in 6deg, 15deg, 25deg, 38deg and 25x6deg, Typical Lumen Maintenance 70% @ 50,000 hours; 141mm length; 27 mm width; 20mm high; convective cooling	ArcLink Optic 3 RGB (6pcs)	6°, 15°, 25°, 38°, 25x6°	491,00 €
		ArcLink Optic 3 WWACW (6 pcs)	6°, 15°, 25°, 38°, 25x6°	527,00 €
		ArcLink Optic 3 CW (6pcs)	6°, 15°, 25°, 38°, 25x6°	547,00 €
		ArcLink Optic 3 WW (6pcs)	6°, 15°, 25°, 38°, 25x6°	547,00 €
		ArcLink Optic 3 R (6pcs)	6°, 15°, 25°, 38°, 25x6°	491,00 €
		ArcLink Optic 3 G (6pcs)	6°, 15°, 25°, 38°, 25x6°	518,00 €
		ArcLink Optic 3 B (6pcs)	6°, 15°, 25°, 38°, 25x6°	504,00 €
		ArcLink Optic 3 A (6pcs)	6°, 15°, 25°, 38°, 25x6°	491,00 €
	4 x 1 Watt Luxeon LED, RJ45 data connector, available in 6deg, 15deg, 25deg, 38deg and 25x6deg, Typical Lumen Maintenance 70% @ 50,000 hours; 165mm length; 27 mm width; 20mm high; convective cooling	ArcLink Optic 4 RGBWW (6pcs)	6°, 15°, 25°, 38°, 25x6°	573,00 €
		ArcLink Optic 4 RGBCW (6 pcs)	6°, 15°, 25°, 38°, 25x6°	573,00 €
		ArcLink Optic 4 RGBA (6pcs)	6°, 15°, 25°, 38°, 25x6°	560,00 €
		ArcLink Optic 4 SW (6pcs)	6°, 15°, 25°, 38°, 25x6°	602,00 €



ArcLine Micro 36, ArcPower Mirco 270 Product guide page 21

Photo	Specification	Product	Model	Retail Price
 	ArcLine Micro 36: 36 LEDs per module; 9 LEDs per stripe; 4 stripes per module; Power consump. per stripe: 1.8Watts; "U" holders and aluminium profiles for fitting ArcPower Micro 270: Input voltage 100-240 V AC, 50/60Hz; Max output voltage 12V DC; 2DMX modes; 3 or 6 control channels; Master/slave; and Stand alone operation; 10 built-in programs; 3 freely editable; white colour balance	ArcLine Micro 36 RGB	130°	147,00 €
		ArcLine Micro 36 CWACW	130°	138,00 €
		ArcLine Micro 36 CW	130°	124,00 €
		ArcLine Micro 36 R	130°	82,00 €
		ArcLine Micro 36 B	130°	98,00 €
		ArcLine Micro 36 G	130°	160,00 €
		ArcLine Micro 36 A	130°	89,00 €
		ArcLine Micro - plastic "U" holder	50 ks	24,00 €
		ArcLine Micro - aluminium profile	(2m)	16,00 €
		ArcPower Micro 270		280,00 €

ArcSource Inground 3, 6, 7 Product guide page 23

Photo	Specification	Product	Model	Retail Price
	3 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg and 38deg; Typical Lumen Maintenance 70% @ 50,000 hours; IP 67 Protection factor; Stainless steel top flange, hardened aluminium housing; plastic mounting sleeve; transparent glass cover; 100mm diameter; 122 mm depth	ArcSource Inground 3 RGB	6°, 15°, 25°, 38° round	136,00 €
		ArcSource Inground 3 CW	6°, 15°, 25°, 38° round	149,00 €
		ArcSource Inground 3 WW	6°, 15°, 25°, 38° round	149,00 €
		ArcSource Inground 3 R	6°, 15°, 25°, 38° round	136,00 €
		ArcSource Inground 3 B	6°, 15°, 25°, 38° round	138,00 €
		ArcSource Inground 3 G	6°, 15°, 25°, 38° round	140,00 €
		ArcSource Inground 3 A	6°, 15°, 25°, 38° round	136,00 €

Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.

	3 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg and 38deg; Typical Lumen Maintenance 70% @ 50,000 hours; IP 67 Protection factor; Stainless steel top flange, hardened aluminium housing, plastic mounting sleeve, transparent glass cover; 120x120mm top flange; 120 mm depth	ArcSource Inground 3 RGB	6°, 15°, 25°, 38°	square	138,00 €
		ArcSource Inground 3 CW	6°, 15°, 25°, 38°	square	151,00 €
		ArcSource Inground 3 WW	6°, 15°, 25°, 38°	square	151,00 €
		ArcSource Inground 3 R	6°, 15°, 25°, 38°	square	138,00 €
		ArcSource Inground 3 B	6°, 15°, 25°, 38°	square	140,00 €
		ArcSource Inground 3 G	6°, 15°, 25°, 38°	square	142,00 €
		ArcSource Inground 3 A	6°, 15°, 25°, 38°	square	138,00 €
	6 x 1 Watt Luxeon LED, available in 6deg, and 25deg; Typical Lumen Maintenance 70% @ 50,000 hours; IP 67 Protection factor; Stainless steel top flange, hardened aluminium housing, plastic mounting sleeve, transparent glass cover; 120mm diameter; 345 mm depth; RJ45 data connector	ArcSource Inground 6 RGB	6°, 25°	round	207,00 €
		ArcSource Inground 6 CW	6°, 25°	round	233,00 €
		ArcSource Inground 6 WW	6°, 25°	round	238,00 €
		ArcSource Inground 6 WWRGB (3xWW, 1xR, 1xG, 1xB)	6°, 25°	round	222,00 €
		ArcSource Inground 6 CWRGB (3xCW, 1xR, 1xG, 1xB)	6°, 25°	round	220,00 €
		ArcSource Inground 6 R	6°, 25°	round	207,00 €
		ArcSource Inground 6 B	6°, 25°	round	202,00 €
		ArcSource Inground 6 G	6°, 25°	round	222,00 €
		ArcSource Inground 6 A	6°, 25°	round	207,00 €
	7x 1 Watt Luxeon LED, available in 6deg and 25 deg; Typical Lumen Maint. 70% @ 50,000 hours; LED Life Expectancy minimum 50,000 hours; IP 67 Protection factor; 120mm diameter; 345 mm depth	ArcSource Inground 7 RGBCW (2xR, 2xG, 2xB, 1xCW)	6°, 25°	round	229,00 €
		ArcSource Inground 7 RGBWW (2xR, 2xG, 2xB, 1xWW)	6°, 25°	round	229,00 €
		ArcSource 7 CW	6°, 25°	round	247,00 €
		ArcSource 7 WW	6°, 25°	round	251,00 €




ArcSource Inground 12

Product guide page 25


Photo	Specification	Product	Model	Retail Price	
	12 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg and 38 deg; Typical Lumen Maintenance 70% @ 50,000 hours; LED Life Expectancy minimum 50,000 hours; IP 67 Protection factor; Stainless Steel housing, glass transparent cover; 179mm diameter, 159 mm depth	ArcSource Inground 12 RGB	6°, 15°, 25°, 38°	round	384,00 €
		ArcSource Inground 12 CW	6°, 15°, 25°, 38°	round	416,00 €
		ArcSource Inground 12 WW	6°, 15°, 25°, 38°	round	424,00 €
		ArcSource Inground 12 RGBWW	6°, 15°, 25°, 38°	round	402,00 €
		ArcSource Inground 12 RGBCW	6°, 15°, 25°, 38°	round	402,00 €
		ArcSource Inground 12 SW	6°, 15°, 25°, 38°	round	420,00 €
		ArcSource Inground 12 R	6°, 15°, 25°, 38°	round	384,00 €
		ArcSource Inground 12 B	6°, 15°, 25°, 38°	round	398,00 €
		ArcSource Inground 12 G	6°, 15°, 25°, 38°	round	402,00 €
		ArcSource Inground 12 A	6°, 15°, 25°, 38°	round	384,00 €

ArcSource 1

Product guide page 27


Photo	Specification	Product	Model	Retail Price
	1 Watt Luxeon LED; 10 deg. optical system; 9-35V DC or 6-24 V AC input voltage; 1.6W power consumption; Typical Lumen Maintenance 70% @ 50,000 hours; stainless steel top flange of 45mm diameter, brass housing, 94 mm depth, clear flat glass cover, IP 68 Protec. factor	ArcSource 1 R	10°	104,00 €
		ArcSource 1 B	10°	104,00 €
		ArcSource 1 G	10°	107,00 €
		ArcSource 1 A	10°	104,00 €
		ArcSource 1 WW	10°	109,00 €
		ArcSource 1 CW	10°	109,00 €
	1 Watt Luxeon LED; Total beam divergence: Alpha=9deg, Teta=8 deg; 9-35V DC or 6-24 V AC input volt.; 1.6W power cons.; Typical Lumen Mainten. 70% @ 50,000 hours; stainless steel top flange of 45mm diameter, brass housing, 94 mm depth, clear flat glass cover, IP 68 Protection factor	ArcSource 1 R	Asymetric Narrow	104,00 €
		ArcSource 1 B	Asymetric Narrow	104,00 €
		ArcSource 1 G	Asymetric Narrow	107,00 €
		ArcSource 1 A	Asymetric Narrow	104,00 €
		ArcSource 1 WW	Asymetric Narrow	109,00 €
		ArcSource 1 CW	Asymetric Narrow	109,00 €
	1 Watt Luxeon LED; Total beam divergence: Alpha=13deg, Teta=14.5 deg; 9-35V DC or 6-24 V AC input voltage; 1.6W power cons.; Typical Lumen Maintenance 70% @ 50,000 hours; stainless steel top flange of 45mm diameter, brass housing, 94 mm depth, clear flat glass cover, IP 68 Protection factor	ArcSource 1 R	Asymetric Medium	104,00 €
		ArcSource 1 B	Asymetric Medium	104,00 €
		ArcSource 1 G	Asymetric Medium	107,00 €
		ArcSource 1 A	Asymetric Medium	104,00 €
		ArcSource 1 WW	Asymetric Medium	109,00 €
		ArcSource 1 CW	Asymetric Medium	109,00 €


Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.


	1 Watt Luxeon LED, 34 deg. optical system, 9-35V DC or 6-24 V AC input voltage, 1.6W power consump., Typical Lumen Mainten. 70% @ 50,000 hours; stainless steel top flange of 45mm diameter, brass housing, 100 mm depth, domed tempered glass cover (frosted), IP 68 Protection factor	ArcSource 1 R	SuperWide	104,00 €
		ArcSource 1 B	SuperWide	104,00 €
		ArcSource 1 G	SuperWide	107,00 €
		ArcSource 1 A	SuperWide	104,00 €
		ArcSource 1 WW	SuperWide	109,00 €
		ArcSource 1 CW	SuperWide	109,00 €

ArcSource Outdoor 3, 6, 7

Product guide page 29


Photo	Specification	Product	Model	Retail Price
	3 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg and 38deg; Typical Lumen Maintenance 70% @ 50,000 hours; IP 68 Protection factor; Stainless steel top flange and housing, transparent glass cover; 82mm width; 140 mm high; 93mm depth	ArcSource Outdoor 3 RGB	6°, 15°, 25°, 38°	127,00 €
		ArcSource Outdoor 3 CW	6°, 15°, 25°, 38°	140,00 €
		ArcSource Outdoor 3 WW	6°, 15°, 25°, 38°	140,00 €
		ArcSource Outdoor 3 R	6°, 15°, 25°, 38°	127,00 €
		ArcSource Outdoor 3 B	6°, 15°, 25°, 38°	129,00 €
		ArcSource Outdoor 3 G	6°, 15°, 25°, 38°	131,00 €
		ArcSource Outdoor 3 A	6°, 15°, 25°, 38°	127,00 €


	6 x 1 Watt Luxeon LED, available in 6deg, and 25deg; Typical Lumen Maintenance 70% @ 50,000 hours; IP 68 Protection factor; Stainless steel top flange and housing, transparent glass cover; 82mm width; 140 mm high; 93mm depth; RJ45 data connector	ArcSource Outdoor 6 RGB	6°, 25°	189,00 €
		ArcSource Outdoor 6 CW	6°, 25°	216,00 €
		ArcSource Outdoor 6 WW	6°, 25°	220,00 €
		ArcSource Outdoor 6 WWRGB (3xWW, 1xR, 1xB, 1xG)	6°, 25°	202,00 €
		ArcSource Outdoor 6 CWRGB (3xCW, 1xR, 1xG, 1xB)	6°, 25°	200,00 €
		ArcSource Outdoor 6 R	6°, 25°	189,00 €
		ArcSource Outdoor 6 B	6°, 25°	200,00 €
		ArcSource Outdoor 6 G	6°, 25°	202,00 €
		ArcSource Outdoor 6 A	6°, 25°	189,00 €

	7 x 1 Watt Luxeon LED, available in 6deg, and 25deg; Typical Lumen Maintenance 70% @ 50,000 hours; IP 68 protect. factor; Stainless steel top flange and housing, transparent glass cover; 82mm width; 140mm high; 93mm depth	ArcSource Outdoor 7 RGBCW (2xR, 2xB, 2xG, 1xWW)	6°, 25°	211,00 €
		ArcSource Outdoor 7 RGBWW (2xR, 2xB, 2xG, 1xWW)	6°, 25°	211,00 €
		ArcSource Outdoor 7 CW	6°, 25°	229,00 €
		ArcSource Outdoor 7 WW	6°, 25°	233,00 €

ArcSource Outdoor 12, 36

Product guide page 31

Photo	Specification	Product	Model	Retail Price
	12 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg and 38 deg; Typical Lumen Maintenance 70% @ 50,000 hours; IP 68 protection factor; Stainless steel top flange and housing, transparent glass cover; 160mm width; 222 mm high; 97mm depth; RJ45 data connector	ArcSource Outdoor 12 RGB	6°, 15°, 25°, 38°	384,00 €
		ArcSource Outdoor 12 CW	6°, 15°, 25°, 38°	416,00 €
		ArcSource Outdoor 12 WW	6°, 15°, 25°, 38°	424,00 €
		ArcSource Outdoor 12 WWRGB (6xWW, 2xR, 2xG, 2xB)	6°, 15°, 25°, 38°	402,00 €
		ArcSource Outdoor 12 CWRGB (6xCW, 2xR, 2xG, 2xB)	6°, 15°, 25°, 38°	398,00 €
		ArcSource Outdoor 12 SW	6°, 15°, 25°, 38°	420,00 €
		ArcSource Outdoor 12 R	6°, 15°, 25°, 38°	384,00 €
		ArcSource Outdoor 12 B	6°, 15°, 25°, 38°	398,00 €
		ArcSource Outdoor 12 G	6°, 15°, 25°, 38°	402,00 €
		ArcSource Outdoor 12 A	6°, 15°, 25°, 38°	384,00 €

	36 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg and 38 deg; Typical Lumen Maintenance 70% @ 50,000 hours; IP 68 protection factor; Stainless steel top flange and housing, transparent glass cover; 220mm width; 216 mm high; 180mm depth; RJ45 data connector	ArcSource Outdoor 36 RGB	6°, 15°, 25°, 38°	1 004,00 €
		ArcSource Outdoor 36 CW	6°, 15°, 25°, 38°	1 084,00 €
		ArcSource Outdoor 36 WW	6°, 15°, 25°, 38°	1 109,00 €
		ArcSource Outdoor 36 SW	6°, 15°, 25°, 38°	1 098,00 €
		ArcSource Outdoor 36 R	6°, 15°, 25°, 38°	1 004,00 €
		ArcSource Outdoor 36 B	6°, 15°, 25°, 38°	1 062,00 €
		ArcSource Outdoor 36 G	6°, 15°, 25°, 38°	1 073,00 €
		ArcSource Outdoor 36 A	6°, 15°, 25°, 38°	1 004,00 €

Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.



International Retail Price List

March 2008





Page 8/14



ArcSource Wall 3, ArcSource Twin Wall 3 Product guide page 33

Photo	Specification	Product	Model	Retail Price
	3x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg and 38 deg, Typical Lumen Maintenance 70% @ 50,000 hours; IP 54 protection factor; Stainless steel body, transparent glass cover; 75mm width, 115 mm depth, 88mm height; RJ45 data connector	ArcSource Wall 3 RGB	6°, 15°, 25°, 38°	144,00 €
		ArcSource Wall 3 CW	6°, 15°, 25°, 38°	158,00 €
		ArcSource Wall 3 WW	6°, 15°, 25°, 38°	158,00 €
		ArcSource Wall 3 R	6°, 15°, 25°, 38°	144,00 €
		ArcSource Wall 3 B	6°, 15°, 25°, 38°	147,00 €
		ArcSource Wall 3 G	6°, 15°, 25°, 38°	149,00 €
		ArcSource Wall 3 A	6°, 15°, 25°, 38°	144,00 €
	6 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg and 38 deg, Typical Lumen Maintenance 70% @ 50,000 hours; IP 54 protection factor; Stainless steel body, transparent glass cover; 75mm width, 157 mm depth, 88mm height; RJ45 data connector	ArcSource Twin Wall 3 RGB	6°, 15°, 25°, 38°	253,00 €
		ArcSource Twin Wall 3 CW	6°, 15°, 25°, 38°	282,00 €
		ArcSource Twin Wall 3 WW	6°, 15°, 25°, 38°	282,00 €
		ArcSource Twin Wall 3 R	6°, 15°, 25°, 38°	253,00 €
		ArcSource Twin Wall 3 B	6°, 15°, 25°, 38°	260,00 €
		ArcSource Twin Wall 3 G	6°, 15°, 25°, 38°	264,00 €
		ArcSource Twin Wall 3 A	6°, 15°, 25°, 38°	278,00 €

ArcLine Outdoor Optic 6, 12, 18, 24, 36, ArcLine Double Outdoor Optic 12, 24, 36, 48, 72 Product guide page 35

Photo	Specification	Product	Model	Retail Price
	6 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6deg, Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protect. factor; 94 HB flame class rating; RJ 45 data connector	ArcLine Outdoor Optic 6 RGB	6°, 15°, 25°, 38°, 25x6° rear, side	338,00 €
		ArcLine Outdoor Optic 6 CW	6°, 15°, 25°, 38°, 25x6° rear, side	384,00 €
		ArcLine Outdoor Optic 6 WW	6°, 15°, 25°, 38°, 25x6° rear, side	393,00 €
		ArcLine Outdoor Optic 6 R	6°, 15°, 25°, 38°, 25x6° rear, side	338,00 €
		ArcLine Outdoor Optic 6 B	6°, 15°, 25°, 38°, 25x6° rear, side	362,00 €
		ArcLine Outdoor Optic 6 G	6°, 15°, 25°, 38°, 25x6° rear, side	367,00 €
		ArcLine Outdoor Optic 6 A	6°, 15°, 25°, 38°, 25x6° rear, side	338,00 €
	12 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6 deg; Typical Lumen Maint. 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protect. factor; 94 HB flame class rating; 440mm length, 66mm width, 95mm height; RJ 45 data con	ArcLine Outdoor Optic 12 RGB	6°, 15°, 25°, 38°, 25x6° rear, side	444,00 €
		ArcLine Outdoor Optic 12 CW	6°, 15°, 25°, 38°, 25x6° rear, side	498,00 €
		ArcLine Outdoor Optic 12 WW	6°, 15°, 25°, 38°, 25x6° rear, side	509,00 €
		ArcLine Outdoor Optic 12 SW	6°, 15°, 25°, 38°, 25x6° rear, side	504,00 €
		ArcLine Outdoor Optic 12 R	6°, 15°, 25°, 38°, 25x6° rear, side	444,00 €
		ArcLine Outdoor Optic 12 B	6°, 15°, 25°, 38°, 25x6° rear, side	467,00 €
		ArcLine Outdoor Optic 12 G	6°, 15°, 25°, 38°, 25x6° rear, side	478,00 €
ArcLine Outdoor Optic 12 A	6°, 15°, 25°, 38°, 25x6° rear, side	444,00 €		
	18 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6 deg; Typical Lumen Maint. 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protect. factor; 94 HB flame class rating; 665mm length, 66mm width, 95mm height; RJ 45 data con.	ArcLine Outdoor Optic 18 RGB	6°, 15°, 25°, 38°, 25x6° rear, side	560,00 €
		ArcLine Outdoor Optic 18 CW	6°, 15°, 25°, 38°, 25x6° rear, side	631,00 €
		ArcLine Outdoor Optic 18 WW	6°, 15°, 25°, 38°, 25x6° rear, side	642,00 €
		ArcLine Outdoor Optic 18 R	6°, 15°, 25°, 38°, 25x6° rear, side	560,00 €
		ArcLine Outdoor Optic 18 B	6°, 15°, 25°, 38°, 25x6° rear, side	591,00 €
		ArcLine Outdoor Optic 18 G	6°, 15°, 25°, 38°, 25x6° rear, side	602,00 €
		ArcLine Outdoor Optic 18 A	6°, 15°, 25°, 38°, 25x6° rear, side	560,00 €
	24 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6 deg; Typical Lumen Mainten. 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; allum. body and transparent glass cover; IP65 protect. factor; 94 HB flame class rating; 843mm length, 66mm width, 95mm height; RJ 45 data con.	ArcLine Outdoor Optic 24 RGB	6°, 15°, 25°, 38°, 25x6° rear, side	724,00 €
		ArcLine Outdoor Optic 24 CW	6°, 15°, 25°, 38°, 25x6° rear, side	811,00 €
		ArcLine Outdoor Optic 24 WW	6°, 15°, 25°, 38°, 25x6° rear, side	827,00 €
		ArcLine Outdoor Optic 24 SW	6°, 15°, 25°, 38°, 25x6° rear, side	820,00 €
		ArcLine Outdoor Optic 24 R	6°, 15°, 25°, 38°, 25x6° rear, side	724,00 €
		ArcLine Outdoor Optic 24 B	6°, 15°, 25°, 38°, 25x6° rear, side	760,00 €
		ArcLine Outdoor Optic 24 G	6°, 15°, 25°, 38°, 25x6° rear, side	776,00 €
ArcLine Outdoor Optic 24 A	6°, 15°, 25°, 38°, 25x6° rear, side	724,00 €		

Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.

International Retail Price List

March 2008

Page 9/14



	36 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6deg. Typical Lumen Maint. 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; alum. body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 843mm length, 66mm width, 95mm height; RJ 45 data con.	ArcLine Outdoor Optic 36 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side	933,00 €
		ArcLine Outdoor Optic 36 CW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 051,00 €
		ArcLine Outdoor Optic 36 WW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 084,00 €
		ArcLine Outdoor Optic 36 SW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 064,00 €
		ArcLine Outdoor Optic 36 R	6°, 15°, 25°, 38°, 25x6°	rear, side	933,00 €
		ArcLine Outdoor Optic 36 B	6°, 15°, 25°, 38°, 25x6°	rear, side	980,00 €
		ArcLine Outdoor Optic 36 G	6°, 15°, 25°, 38°, 25x6°	rear, side	998,00 €
		ArcLine Outdoor Optic 36 A	6°, 15°, 25°, 38°, 25x6°	rear, side	933,00 €
	12 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6deg. Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; RJ 45 data con.	ArcLine Double Outdoor Optic 12 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side	456,00 €
		ArcLine Double Outdoor Optic 12 CW	6°, 15°, 25°, 38°, 25x6°	rear, side	509,00 €
		ArcLine Double Outdoor Optic 12 WW	6°, 15°, 25°, 38°, 25x6°	rear, side	520,00 €
		ArcLine Double Outdoor Optic 12 SW	6°, 15°, 25°, 38°, 25x6°	rear, side	516,00 €
		ArcLine Double Outdoor Optic 12 R	6°, 15°, 25°, 38°, 25x6°	rear, side	456,00 €
		ArcLine Double Outdoor Optic 12 B	6°, 15°, 25°, 38°, 25x6°	rear, side	478,00 €
		ArcLine Double Outdoor Optic 12 G	6°, 15°, 25°, 38°, 25x6°	rear, side	491,00 €
		ArcLine Double Outdoor Optic 12 A	6°, 15°, 25°, 38°, 25x6°	rear, side	456,00 €
	24 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6deg. Typical Lumen Maintenance 70% @ 50,000 hrs; LED life expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; RJ 45 data con.	ArcLine Double Outdoor Optic 24 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side	724,00 €
		ArcLine Double Outdoor Optic 24 CW	6°, 15°, 25°, 38°, 25x6°	rear, side	811,00 €
		ArcLine Double Outdoor Optic 24 WW	6°, 15°, 25°, 38°, 25x6°	rear, side	827,00 €
		ArcLine Double Outdoor Optic 24 SW	6°, 15°, 25°, 38°, 25x6°	rear, side	820,00 €
		ArcLine Double Outdoor Optic 24 R	6°, 15°, 25°, 38°, 25x6°	rear, side	724,00 €
		ArcLine Double Outdoor Optic 24 B	6°, 15°, 25°, 38°, 25x6°	rear, side	760,00 €
		ArcLine Double Outdoor Optic 24 G	6°, 15°, 25°, 38°, 25x6°	rear, side	776,00 €
		ArcLine Double Outdoor Optic 24 A	6°, 15°, 25°, 38°, 25x6°	rear, side	724,00 €
	36 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6deg. Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 102mm width, 95mm height; RJ 45 data con.	ArcLine Double Outdoor Optic 36 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side	969,00 €
		ArcLine Double Outdoor Optic 36 CW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 089,00 €
		ArcLine Double Outdoor Optic 36 WW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 124,00 €
		ArcLine Double Outdoor Optic 36 SW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 104,00 €
		ArcLine Double Outdoor Optic 36 R	6°, 15°, 25°, 38°, 25x6°	rear, side	969,00 €
		ArcLine Double Outdoor Optic 36 B	6°, 15°, 25°, 38°, 25x6°	rear, side	1 018,00 €
		ArcLine Double Outdoor Optic 36 G	6°, 15°, 25°, 38°, 25x6°	rear, side	1 036,00 €
		ArcLine Double Outdoor Optic 36 A	6°, 15°, 25°, 38°, 25x6°	rear, side	969,00 €
	48 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6deg. Typical Lumen Maintenance 70% @ 50,000 hrs; LED life expectancy min. 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 843mm length, 102mm width, 95mm height; RJ 45 data con.	ArcLine Double Outdoor Optic 48 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side	1 179,00 €
		ArcLine Double Outdoor Optic 48 CW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 324,00 €
		ArcLine Double Outdoor Optic 48 WW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 367,00 €
		ArcLine Double Outdoor Optic 48 SW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 342,00 €
		ArcLine Double Outdoor Optic 48 R	6°, 15°, 25°, 38°, 25x6°	rear, side	1 178,00 €
		ArcLine Double Outdoor Optic 48 B	6°, 15°, 25°, 38°, 25x6°	rear, side	1 238,00 €
		ArcLine Double Outdoor Optic 48 G	6°, 15°, 25°, 38°, 25x6°	rear, side	1 260,00 €
		ArcLine Double Outdoor Optic 48 A	6°, 15°, 25°, 38°, 25x6°	rear, side	1 178,00 €
	72 x 1 Watt Luxeon LED, available in 6deg, 15deg, 25deg, 38deg and 25x6deg. Typical Lumen maintenance 70% @ 50,000 hrs; LED life expectancy min. 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 1241mm length, 102mm width, 95mm height; RJ 45 data con.	ArcLine Double Outdoor Optic 72 RGB	6°, 15°, 25°, 38°, 25x6°	rear, side	1 564,00 €
		ArcLine Double Outdoor Optic 72 CW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 758,00 €
		ArcLine Double Outdoor Optic 72 WW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 816,00 €
		ArcLine Double Outdoor Optic 72 SW	6°, 15°, 25°, 38°, 25x6°	rear, side	1 780,00 €
		ArcLine Double Outdoor Optic 72 R	6°, 15°, 25°, 38°, 25x6°	rear, side	1 564,00 €
		ArcLine Double Outdoor Optic 72 B	6°, 15°, 25°, 38°, 25x6°	rear, side	1 642,00 €
		ArcLine Double Outdoor Optic 72 G	6°, 15°, 25°, 38°, 25x6°	rear, side	1 671,00 €
		ArcLine Double Outdoor Optic 72 A	6°, 15°, 25°, 38°, 25x6°	rear, side	1 564,00 €

Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.


www.anolis.cz


**ArcLine Outdoor Optic 6, 12, 18, 24, 36/K2,
ArcLine Double Outdoor Optic 12, 24, 36, 48, 72/K2**


Product guide page 37


Photo	Specification	Product	Model	Retail Price
	6 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; Typical Lumen maintenance 70% @ 50,000 hrs; LED life expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; RJ 45 data con.	ArcLine Outdoor Optic 6 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 389,00 €
		ArcLine Outdoor Optic 6 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 444,00 €
		ArcLine Outdoor Optic 6 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 453,00 €
		ArcLine Outdoor Optic 6 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 389,00 €
		ArcLine Outdoor Optic 6 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 416,00 €
		ArcLine Outdoor Optic 6 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 422,00 €
		ArcLine Outdoor Optic 6 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 389,00 €
	12 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; RJ 45 data con.	ArcLine Outdoor Optic 12 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 511,00 €
		ArcLine Outdoor Optic 12 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 571,00 €
		ArcLine Outdoor Optic 12 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 587,00 €
		ArcLine Outdoor Optic 12 SW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 578,00 €
		ArcLine Outdoor Optic 12 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 511,00 €
		ArcLine Outdoor Optic 12 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 538,00 €
		ArcLine Outdoor Optic 12 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 551,00 €
ArcLine Outdoor Optic 12 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 511,00 €		
	18 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; typical Lumen maintenance 70% @ 50,000 hrs; LED life expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 665mm length, 66mm width, 95mm height; RJ 45 data con.	ArcLine Outdoor Optic 18 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 644,00 €
		ArcLine Outdoor Optic 18 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 727,00 €
		ArcLine Outdoor Optic 18 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 738,00 €
		ArcLine Outdoor Optic 18 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 644,00 €
		ArcLine Outdoor Optic 18 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 680,00 €
		ArcLine Outdoor Optic 18 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 693,00 €
		ArcLine Outdoor Optic 18 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 644,00 €
	24 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; Typical Lumen Maintenance 70% @ 50,000 hrs; LED life expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 843mm length, 66mm width, 95mm height; RJ 45 data con.	ArcLine Outdoor Optic 24 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 833,00 €
		ArcLine Outdoor Optic 24 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 933,00 €
		ArcLine Outdoor Optic 24 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 949,00 €
		ArcLine Outdoor Optic 24 SW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 942,00 €
		ArcLine Outdoor Optic 24 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 833,00 €
		ArcLine Outdoor Optic 24 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 876,00 €
		ArcLine Outdoor Optic 24 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 891,00 €
ArcLine Outdoor Optic 24 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 833,00 €		
	36 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; typical Lumen maintenance 70% @ 50,000 hrs; LED life expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 843mm length, 66mm width, 95mm height; RJ 45 data con.	ArcLine Outdoor Optic 36 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 1 073,00 €
		ArcLine Outdoor Optic 36 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 1 209,00 €
		ArcLine Outdoor Optic 36 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 1 249,00 €
		ArcLine Outdoor Optic 36 SW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 1 222,00 €
		ArcLine Outdoor Optic 36 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 1 073,00 €
		ArcLine Outdoor Optic 36 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 1 127,00 €
		ArcLine Outdoor Optic 36 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 1 149,00 €
ArcLine Outdoor Optic 36 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 1 073,00 €		
	12 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; typical Lumen maintenance 70% @ 50,000 hrs; LED life expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; RJ 45 data con.	ArcLine Double Outdoor Optic 12 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 522,00 €
		ArcLine Double Outdoor Optic 12 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 587,00 €
		ArcLine Double Outdoor Optic 12 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 598,00 €
		ArcLine Double Outdoor Optic 12 SW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 593,00 €
		ArcLine Double Outdoor Optic 12 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 522,00 €
		ArcLine Double Outdoor Optic 12 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 551,00 €
		ArcLine Double Outdoor Optic 12 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 564,00 €
ArcLine Double Outdoor Optic 12 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side 522,00 €		

Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.

	24 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; typical Lumen maintenance 70% @ 50,000 hrs; LED life expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; RJ 45 data con.	ArcLine Double Outdoor Optic 24 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	833,00 €
		ArcLine Double Outdoor Optic 24 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	933,00 €
		ArcLine Double Outdoor Optic 24 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	949,00 €
		ArcLine Double Outdoor Optic 24 SW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	942,00 €
		ArcLine Double Outdoor Optic 24 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	833,00 €
		ArcLine Double Outdoor Optic 24 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	876,00 €
		ArcLine Double Outdoor Optic 24 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	891,00 €
		ArcLine Double Outdoor Optic 24 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	833,00 €


	36 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; Typical Lumen Maintenance 70% @ 50,000 hrs; LED Life Expectancy min 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 665mm length, 102mm width, 95mm height; RJ 45 data con.	ArcLine Double Outdoor Optic 36 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 113,00 €
		ArcLine Double Outdoor Optic 36 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 253,00 €
		ArcLine Double Outdoor Optic 36 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 293,00 €
		ArcLine Double Outdoor Optic 36 SW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 269,00 €
		ArcLine Double Outdoor Optic 36 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 113,00 €
		ArcLine Double Outdoor Optic 36 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 169,00 €
		ArcLine Double Outdoor Optic 36 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 193,00 €
		ArcLine Double Outdoor Optic 36 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 113,00 €

	48 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; typical Lumen maintenance 70% @ 50,000 hrs; LED life expectancy min. 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 843mm length, 102mm width, 95mm height; RJ 45 data con.	ArcLine Double Outdoor Optic 48 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 356,00 €
		ArcLine Double Outdoor Optic 48 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 524,00 €
		ArcLine Double Outdoor Optic 48 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 573,00 €
		ArcLine Double Outdoor Optic 48 SW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 542,00 €
		ArcLine Double Outdoor Optic 48 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 356,00 €
		ArcLine Double Outdoor Optic 48 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 424,00 €
		ArcLine Double Outdoor Optic 48 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 449,00 €
		ArcLine Double Outdoor Optic 48 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 356,00 €

	72 x Luxeon K2 LED; available in 6deg, 15deg, 25deg, 38deg and 25x6deg; typical Lumen maintenance 70% @ 50,000 hrs; LED life expectancy min. 50,000 hrs; aluminium body and transparent glass cover; IP65 protection factor; 94 HB flame class rating; 1241mm length, 102mm width, 95mm height; RJ 45 data con.	ArcLine Double Outdoor Optic 72 RGB/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 800,00 €
		ArcLine Double Outdoor Optic 72 CW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	2 020,00 €
		ArcLine Double Outdoor Optic 72 WW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	2 089,00 €
		ArcLine Double Outdoor Optic 72 SW/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	2 047,00 €
		ArcLine Double Outdoor Optic 72 R/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 800,00 €
		ArcLine Double Outdoor Optic 72 B/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 891,00 €
		ArcLine Double Outdoor Optic 72 G/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 920,00 €
		ArcLine Double Outdoor Optic 72 A/K2	6°, 15°, 25°, 38°, 25x6°	rear, side	1 800,00 €


ArcPower 36, 72

Product guide page 39

Photo	Specification	Product	Model	Retail Price
	100-240C AC, 50/60Hz input voltage; 350mA max. output current; DMX, master/slave and stand-alone operation; RJ45 data con.	ArcPower 36		258,00 €
		ArcPower 72		444,00 €


ArcPower 144, 360

Product guide page 41

Photo	Specification	Product	Model	Retail Price
	100-240C AC, 50/60Hz input voltage; 350mA max. output current; DMX, master/slave and stand-alone operation; RJ45 data connectors	ArcPower 144		818,00 €
		ArcPower 360		1 984,00 €

ArcPower 36/K2, 72/K2


Product guide page 43

Photo	Specification	Product	Model	Retail Price
	100-240C AC, 50/60Hz input voltage; 700mA max. output current; DMX, master/slave and stand-alone operation; RJ45 data connectors	ArcPower 36/K2		373,00 €
		ArcPower 72/K2		664,00 €

Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.


ArcPower 16x6

Product guide page 45

Photo	Specification	Product	Model	Retail Price
	100-240C AC,50/60Hz input voltage; 12V DC max. output voltage; DMX, stand-alone operation; 2 DMX modes,48 or 50 control channels; 5 built-in and 4 freely editable programs ;16 LED outpus 4-digit LED display	ArcPower 16x6		689,00 €


ArcPower 36, 144, 360 SmartWhite

Product guide page 47

Photo	Specification	Product	Model	Retail Price
	100-240C AC,50/60Hz, input voltage; DMX, master/slave and stand -alone oper. ; 3-digit LED display ; RJ45 data con	ArcPower 36 SW		258,00 €
		ArcPower 36/K2 SW		373,00 €
		ArcPower 72 SW		444,00 €
		ArcPower 72/K2 SW		664,00 €
		ArcPower 144 SW		818,00 €
		ArcPower 360 SW		1 984,00 €

ArcQube 144


Product guide page 49


Photo	Specification	Product	Model	Retail Price
	110-24AC, 50/60Hz; 12x12 RGB LEDs; 50mm LED pitch; 100mm pixel pitch; 6x6 pixel resol.; 120° beam angle without diffuser; 170° beam angle with diffuser; 3-108 DMX channels; dimensions 600x600x130mm	ArcQube 144 - incl. 1x Power Cable 1.2m, 1x DMX Cable RJ45 1.6m, 4x Mounting Screws		3 138,00 €
		Power Cord Cable 2.5m		27,00 €
		Micro Server 2x DMX Universes - for 8x ArcQube 144		747,00 €
		Mounting Rail 2.4m - for 3x ArcQube 144		280,00 €

		DMX Cable RJ45 1.6m		13,00 €
		DMX Cable RJ45 5m		31,00 €
		DMX Cable RJ45 10m		58,00 €
		DMX Cable RJ45 10m - crossover		58,00 €
		Power Cable 1.2m		31,00 €
		Power Connector		11,00 €
		Edge covering strip type 1		36,00 €
		Edge covering strip type 2 (right)		36,00 €
		Edge covering strip type 3 (left)		36,00 €
		Edge covering strip type 4 (center)		36,00 €
		Switch 8 port		67,00 €
		Switch 16 port		160,00 €

ArcPAR 3, 12

Product guide page 51

Photo	Specification	Product	Model	Retail Price	
	3 x 1 Watt Luxeon LED;4.2 Watts max.power. consumption; available in 6deg,15deg, 25deg and 38 deg. Typical Lumen Maint. 70% @ 50,000 hours;IP 2X protection factor; Alum. housing; ,transparent glass cover; RJ45 data con. Finish:white	ArcPAR 3 RGB	6°, 15°, 25°, 38°	white	122,00 €
		ArcPAR 3 CW	6°, 15°, 25°, 38°	white	136,00 €
		ArcPAR 3 WW	6°, 15°, 25°, 38°	white	136,00 €
		ArcPAR 3 R	6°, 15°, 25°, 38°	white	122,00 €
		ArcPAR 3 B	6°, 15°, 25°, 38°	white	124,00 €
		ArcPAR 3 G	6°, 15°, 25°, 38°	white	127,00 €
		ArcPAR 3 A	6°, 15°, 25°, 38°	white	122,00 €

	3 x 1 Watt Luxeon LED;4.2 Watts max.power. consump.; available in 6deg, 15deg, 25deg and 38 deg. Typical Lumen Mainten. 70% @ 50,000 hours;IP 2X protection factor; Aluminium housing; ,transparent glass cover;RJ45 data con. Finish:silver	ArcPAR 3 RGB	6°, 15°, 25°, 38°	silver	122,00 €
		ArcPAR 3 CW	6°, 15°, 25°, 38°	silver	136,00 €
		ArcPAR 3 WW	6°, 15°, 25°, 38°	silver	136,00 €
		ArcPAR 3 R	6°, 15°, 25°, 38°	silver	122,00 €
		ArcPAR 3 B	6°, 15°, 25°, 38°	silver	124,00 €
		ArcPAR 3 G	6°, 15°, 25°, 38°	silver	127,00 €
		ArcPAR 3 A	6°, 15°, 25°, 38°	silver	122,00 €

Apart from purposes authorised by ROBE lighting s. r. o. no part may be reproduced or otherwise transmitted without the written permission of ROBE. Specifications and prices subject to change without notice. Prices net ex-works.